

Hundreds Of Years Of Fake Climate News

THE HUFFINGTON POST

SCIENCE 04/21/2012 10:01 am ET

Salem Witch Trials Followed Cold Weather, New Research Finds

By: Natalie Wolchover

Published: 04/20/2012 01:12 PM EDT on Lifes Little Mysteries

Historical records indicate that, worldwide, witch hunts occur more often during cold periods, possibly because people look for scapegoats to blame for crop failures and general economic hardship. Fitting the pattern, scholars argue that cold weather may have spurred the infamous Salem witch trials in 1692.

THE BRISBANE COURIER

JANUARY 10, 1871

IMAGINARY CHANGES OF CLIMATE.


(Pall Mall Gazette.)

THREE consecutive years of drought, while they have stimulated the inventive resources of practical agriculturists, have had the natural effect of calling forth a plentiful crop of speculation from weather prophets, and projectors, and half-instructed meteorologists, and all the philosophic tribe of Laputa in general, to whom the periodical press now affords such fatal facilities. We have often noticed that in the tabular statements of those compilers of weather records who write to the Times, useful and welcome as their communications are, every season is sure to be "extraordinary," almost every month one of the driest or wettest, or windiest, coldest or hottest, ever known. Much observation, which ought to correct a tendency to exaggerate, seems in some minds to have rather a tendency to increase it. And many

Fake Man-Made Drought

A 200-year drought?

Evidence from tree rings shows that drought was historically much more widespread in the American West than now, while the 20th century was wetter than normal. Percentage of the West affected by drought from 800 A.D. to 2000:



A 75 Year Drought Drove Out The Anasazi



Global Cooling Drought In California

THE NEW YORK TIMES, TUESDAY, MARCH 8, 1977

Brown Warns of Drought Disaster; Says 'Hard Choices' Face California

LOS ANGELES, March 7—Gov. Edmund G. Brown Jr., warned here today that drought-stricken California was “facing a disaster of immeasurable magnitude.”

“The specter of drought has been gathering momentum, not only in California, but across the country,” the Democratic Governor declared, adding that people must learn that “this is an era of limits and there are very hard choices to make.”

The Sheboygan Press

SHEBOYGAN, WIS., SATURDAY, FEBRUARY 11, 1978

Foot Of Rain Floods California

LOS ANGELES (AP) — Hundreds of Southern Californians dug through mud-caked rubble today salvaging what they could of their battered homes after the region's most savage rainstorm in nearly a decade.

At least nine persons were killed in the storm, and more than 400 were left homeless. Rescuers were searching for 25 people — at least three of them children — missing after the hamlet of Hidden Springs was washed from its mountain perch 25 miles north of Los Angeles.

Global Warming Drought In California

The New York Times

California Braces for Unending Drought

By IAN LOVETT MAY 9, 2016




Gov. Jerry Brown of California last month in New York. He signed an executive order on Monday making permanent the water conservation efforts put in place during the state's five-year drought.

Mary Altaffer/Associated Press

SATURDAY, FEBRUARY 18, 2017

Another Foot of Rain in California



Yes, that is another 12+'' forecast for the watershed above the Oroville Dam (which appears to be fixed) and another nearly 10 inches forecast in the coastal mountains just south of San Francisco. This is going to touch off another round of serious flooding.

\$850,000 To Study Nothing In Boulder

CU to study impact of climate change on Boulder prairie dogs

Researchers in Boulder, Kansas receive \$850,000 grant for project

By Heath Urie, Camera Staff Writer

POSTED: 09/07/2011 05:55:05 PM MDT

UPDATED: 09/07/2011 06:00:51 PM MDT




A prairie dog sits in a colony near the Foothills Community Park in Boulder. A new study led by a University of Colorado researcher will examine climate change, grasslands, prairie dogs and how they all interact. (CLIFF GRASSMICK)

Researchers from the University of Colorado and Kansas State University have been awarded a grant for more than \$850,000 to study the impacts of climate change on prairie dogs in the Boulder area.


The massive grant -- from the Division of Environmental Biology at the National Science Foundation -- is designed to give the researchers three years in the field to try and figure out how climate change is altering prairie dog habitat and how the rodents are responding to those changes.

USHCN 050848, BOULDER, CO
Annual mean of Monthly Mean Temperature -- RAW (F) 1893 -- 2014



Source: MJ Menne, CN Williams Jr., RS Vose, NOAA, National Climatic Data Center, Asheville, NC

Fake Human Attribution For Sea Level Rise



Fake Sea Level Rise In San Francisco

San Francisco Chronicle

Lab explores projects to lessen effects of sea level rise on SF Bay


By John King, San Francisco Chronicle | January 22, 2017 | Updated: January 23, 2017 5:02pm

The Bay Area will soon be a laboratory that tests how urban regions can prepare for the likelihood of sea level rise.

That's the aim of a \$5.8 million design competition being announced this week that will select 10 multidisciplinary teams and assign each a different bayside setting. Each team will have \$250,000 to work with and is expected to come up with a proposal that not only looks good but can become reality and has the support of the community where it is located.

Dubbed **Bay Area: Resilient by Design**, the competition has been slow to get off the ground because of fundraising difficulties. Now the Rockefeller Foundation in New York has agreed to provide \$4.6 million to pull off the ambitious 15-month effort.

"This is a great opportunity for our region to start thinking about what the future holds and how to manage that future in a way that's exciting," said Allison Brooks, executive director of the Bay Area Regional Collaborative and one of 12 members of the competition's executive committee.




If The Data Doesn't Match Theory, Change The Data

GROUND DATA: 1870-2000

Data source: Coastal tide gauge records.

Credit: [CSIRO](#)



Getting Rid Of The Troublesome MWP

CLIMATE CHANGE

The IPCC Scientific Assessment

Observed Climate Variations and Change

C.K. FOLLAND, T.R. KARL, K.YA. VINNIKOV




Figure 7.1: Schematic diagrams of global temperature variations since the Pleistocene on three time scales (a) the last million years (b) the last ten thousand years and (c) the last thousand years. The dotted line nominally represents conditions near the beginning of the twentieth century



U.S. Senate Committee on Environment & Public Works Hearing Statements


Date: 12/06/2006

Statement of Dr. David Deming
University of Oklahoma
College of Earth and Energy
Climate Change and the Media

Mr. Chairman, members of the Committee, and distinguished guests, thank you for inviting me to testify today. I am a geologist and geophysicist. I have a bachelor's degree in geology from Indiana University, and a Ph.D in geophysics from the University of Utah. My field of specialization in geophysics is temperature and heat flow. In recent years, I have turned my studies to the history and philosophy of science. In 1995, I published a short paper in the academic journal *Science*. In that study, I reviewed how borehole temperature data recorded a warming of about one degree Celsius in North America over the last 100 to 150 years. The week the article appeared, I was contacted by a reporter for National Public Radio. He offered to interview me, but only if I would state that the warming was due to human activity. When I refused to do so, he hung up on me.

I had another interesting experience around the time my paper in *Science* was published. I received an astonishing email from a major researcher in the area of climate change. He said, "We have to get rid of the Medieval Warm Period."

Michael Mann To The Rescue



If The Data Doesn't Match Theory, Hide The Data









Figure 7.20: (a) Northern Hemisphere, and (b) Southern Hemisphere sea-ice extent anomalies. Data from NOAA (USA).

Cherry Picking A Start Point To Get Max Fakery



Getting Rid Of The Troublesome “1940’s Blip”



Getting Rid Of The Troublesome 1940's Blip




Figure 5.1. Annual mean surface air temperature anomalies from 1880–1981: (solid curve) Vinnikov et al. (1980); and (dashed curve) Jones et al. (1982). Figure from Weller et al. (1983), and includes points updated to 1981 by Jones.

From: Tom Wigley <wigley@ucar.edu>
To: Phil Jones <p.jones@uea.ac.uk>
Subject: 1940s
Date: Sun, 27 Sep 2009 23:25:38 -0600
Cc: Ben Santer <santer1@llnl.gov>

<x-flowed>
Phil,

Here are some speculations on correcting SSTs to partly explain the 1940s warming blip.

If you look at the attached plot you will see that the land also shows the 1940s blip (as I'm sure you know).

So, if we could reduce the ocean blip by, say, 0.15 degC, then this would be significant for the global mean -- but we'd still have to explain the land blip.

I've chosen 0.15 here deliberately. This still leaves an ocean blip, and I think one needs to have some form of ocean blip to explain the land blip (via either some common forcing, or ocean forcing land, or vice versa, or all of these). When you look at other blips, the land blips are 1.5 to 2 times (roughly) the ocean blips -- higher sensitivity plus thermal inertia effects. My 0.15 adjustment leaves things consistent with this, so you can see where I am coming from.

Removing ENSO does not affect this.

It would be good to remove at least part of the 1940s blip, but we are still left with "why the blip".

The 1940's Was Hot - "Catastrophic" Arctic Melting

ROCHESTER DEMOCRAT
DECEMBER 17, 1939

Glaciers Melting Over Greenland

Stockholm, Sweden— (INS) —All the glaciers in Eastern Greenland are rapidly melting, declared Prof. Hans Ahlmann, Swedish geologist, in a report to the Geographical Society here on his recent expedition to the Arctic sub-continent.

"Everything points to the fact that the climate in that region has been growing warmer during recent years," the professor said.

"It may without exaggeration be said that the glaciers—like those in Norway—face the possibility of a catastrophic collapse."

The Townsville Daily Bulletin

SATURDAY, MAY 31, 1947

ARCTIC CLIMATE'S ALARMING CHANGE


LOS ANGELES, May 30.—A mysterious warming of the climate is slowly manifesting itself in the Arctic, and if the Antarctic ice regions and the major Greenland ice cap should reduce at the same rate as the present melting, oceanic surfaces would rise to catastrophic proportions, and people living in lowlands along the shores would be inundated, said Dr. Hans Ahlmann, noted Swedish geophysicist to-day, at the University of California's Geophysical Institute.

Dr. Ahlmann added that temperatures in the Arctic have increased by 10 degrees Fahrenheit since 1900, an "enormous" rise from the scientific standpoint.


The 1960's Was Cold - Glaciers Expanding



Getting Rid Of The Troublesome 1940's Blip




The 1975 National Academy Of Sciences Graph Makes Sense



March 1, 1975

**National Academy Of Sciences
1975**

The Current NASA Graph Does Not Makes Sense



Getting Rid Of The Global Warming Pause

Science & Environment

Global warming pause 'central' to IPCC climate report

By Matt McGrath
Environment correspondent, BBC News


23 September 2013 | Science & Environment



Pause in global warming

Running nine-year trends in surface warming and upper ocean heat uptake. The recent slowdown in global warming is highlighted by the grey shading.

Trend (°C decade)



Evidence against a global warming hiatus?

Date: June 4, 2015

Source: American Association for the Advancement of Science

Summary: An analysis using updated global surface temperature data disputes the existence of a 21st century global warming slowdown described in studies including the latest Inter-governmental Panel on Climate Change (IPCC) assessment.

Share:



RELATED TOPICS

Earth & Climate


- > Global Warming
- > Environmental Issues
- > Climate
- > Environmental Policy
- > Geography
- > Weather

RELATED TERMS

- > Attribution of recent cli-

FULL STORY

No Slow Down in Global Warming





Contrary to much recent discussion, the latest corrected analysis shows that the rate of global warming has continued, and there has been no slow down.

Getting Rid Of The Global Warming Pause


Making sense of the early-2000s warming slowdown

John C. Fyfe, Gerald A. Meehl, Matthew H. England, Michael E. Mann, Benjamin D. Santer, Gregory M. Flato, Ed Hawkins, Nathan P. Gillett, Shang-Ping Xie, Yu Kosaka and Neil C. Swart

It has been claimed that the early-2000s global warming slowdown or hiatus, characterized by a reduced rate of global surface warming, has been overstated, lacks sound scientific basis, or is unsupported by observations. The evidence presented here contradicts these claims.



Getting Rid Of The Global Warming Pause



Exposed: How world leaders were duped into investing billions over manipulated global warming data

- The Mail on Sunday can reveal a landmark paper exaggerated global warming
- It was rushed through and timed to influence the Paris agreement on climate change
- America's National Oceanic and Atmospheric Administration broke its own rules
- The report claimed the pause in global warming never existed, but it was based on misleading, 'unverified' data

By [DAVID ROSE FOR THE MAIL ON SUNDAY](#)


PUBLISHED: 17:57 EST, 4 February 2017 | **UPDATED:** 10:12 EST, 5 February 2017

NOAA Shows Record Heat At Places Where They Have No Thermometers

Land & Ocean Temperature Percentiles Dec 2016

NOAA's National Centers for Environmental Information

Data Source: GHCN-M version 3.3.0 & ERSST version 4.0.0





Wed Jan 11 07:07:38 EST 2017

Land-Only Temperature Departure from Average Dec 2016

(with respect to a 1981–2010 base period)

Data Source: GHCNM v3.3.0



National Centers for Environmental Information
Wed Jan 11 06:15:27 EST 2017

NOAA Is Losing Thermometers - And They Are Shifting Closer To The Equator







Figure 1-3: GHCN Station Count. Top: global; middle: NH; bottom: SH.



Data source: GHCN. See Appendix for calculation details.



US Temperatures Are Being Massively Altered By NOAA



US Temperatures Are Being Massively Altered By NOAA



1907 : Honesty As The Wisest Policy

US Weather Bureau, 1907

The misuse of meteorological data is “a crime against the community.”

It is up to the independent press to repress all (climate) cheats and hoaxes

MONTHLY WEATHER REVIEW.

JANUARY, 1907.

IS NOT HONESTY THE WISEST POLICY ?

It is wrong to mutilate or suppress the record of an observation of a phenomenon of nature, but it is also wrong to make a bad use of the record. In fact, it is the misuse of meteorological data, not the observing or publishing, that constitutes a crime against the community. Observation and careful research are to be encouraged as useful. Misrepresentations are to be avoided as harmful. The “Independent Press” as the “Voice of the People” should be not only “Vox Populi” but “Vox Dei”, repressing all cheats and hoaxes, defending the truth and the best interests of the whole nation as against the self-interest of a few.—C. A.

The Ultimate Fake News : Fake Statistics To Bully People Into Believing The Absurd



Barack Obama 
@BarackObama

 Follow

Ninety-seven percent of scientists agree: [#climate](#) change is real, man-made and dangerous. Read more: OFA.BO/gJsdFp

1:48 PM - 16 May 2013

2,554 RETWEETS 723 FAVORITES



CO2 Reductions Mean Quality Of Life Reductions

